



At Jacco, Safety is a Priority!

Jacco understands Ashrae Standard 15 and the need for personal safety involving VRF systems. Samsung doesn't need as much refrigerant, therefore there are not as many Standard 15 problems.




Check out the diagrams below to see Samsung's Competitive Comparison. You will see that Samsung uses significantly less refrigerant than its competitors.

Samsung 16 Ton Comparative Comparison

Why Samsung?

Competitive Comparison – Space/Weight/Refrigerant Savings

	DVM S	M company	D company
Capacity	16 Ton	16 Ton	16 Ton
Size	10.67 ft ²	19.72 ft ²	17.67 ft ²
Weight	734 lb	1,006 lb	963 lb
IEER	23	23.9	22.2
Ref. Charge	24.25 lbs	35.25 lbs	35.9 lbs






Samsung 18 Ton Comparative Comparison

Why Samsung?

Competitive Comparison – Space/Weight/Refrigerant Savings

	DVM S	M company	D company
Capacity	18 Ton	18 Ton	18 Ton
Size	10.71 ft ²	13.96 ft ²	20.49 ft ²
Weight	750 lb	1,170 lb	1053 lb
IEER	25.5	24.5	20.5
Ref. Charge	27.56 lbs	40.75 lbs	45.6 lbs



SAMSUNG HVAC

DON'T FORGET

- * Samsung has 100% heating capacity at -13F!
- * Samsung's 10 Year "Bumper to Bumper" warranty

For more information on Samsung HVAC DVM S Heat Recovery,
[please click here.](#)

For more information on Jacco, please visit www.jacco.com.

What We're Saying

[Click here](#) to learn the latest news in the HVAC industry.

Seminars

Jacco will be hosting a series of Seminars throughout 2016!

December 14, 2016
How To Write A Sequence Of Operations

Cleveland: 7 a.m. - 9 a.m.

Akron: 11 a.m. - 1 p.m.

Youngstown: 4 p.m. - 6 p.m.

30-Minutes Pledge



Copyright © 2016 All Rights Reserved.

Jacco & Associates, 61 Milford DR, Hudson, OH 44236

[SafeUnsubscribe™ {recipient's email}](#)

[Forward this email](#) | [Update Profile](#) | [About our service provider](#)

Sent by jerryc@jacco.com in collaboration with

Constant Contact 

Try it free today